

<u>BMP LEGEND:</u>	
	DIRECTION OF FLOW
	POTENTIAL DISCHARGE LOCATION
	POTENTIAL BACKGROUND SAMPLING LOCATION
	SE-6 GRAVEL BAGS (2 ROWS HIGH)
	SE-10 DRAIN INLET PROTECTION
	TC-1 CONTROLLED ENTRANCE/EXIT
	WM-1 MATERIAL DELIVERY AND STORAGE
	WM-2 MATERIAL USE
	WM-3 STOCKPILE MANAGEMENT
	WM-4 SPILL PREVENTION AND CONTROL
	WM-5 WASTE MANAGEMENT
	WM-6 HAZARDOUS WASTE MANAGEMENT
	WM-9 SANITARY WASTE MANAGEMENT
	WM-10 LIQUID WASTE MANAGEMENT

**SEDIMENT & EROSION CONTROL NOTES:**

- PROJECT IS A RISK LEVEL 2
- ENSURE EFFECTIVE TRACKING CONTROL
- ENSURE EFFECTIVE INLET PROTECTION
- ENSURE EFFECTIVE PERIMETER CONTROL
- ENSURE EFFECTIVE WASTE MGMT
- ENSURE EFFECTIVE CONCRETE WASTE MGMT
- ENSURE EFFECTIVE SANITARY WASTE MGMT
- ENSURE EFFECTIVE STOCKPILE MANAGEMENT
- ENSURE EFFECTIVE DUST CONTROL

GRADE BREAK SPACING CHART	
Slope Ratio (Vertical to Horizontal)	Sheet flow length not to exceed
≤ 1:20	Per QSD's specification.
> 1:20 to ≤ 1:4	35 feet
> 1:4 to ≤ 1:3	20 feet
> 1:3 to ≤ 1:2	15 feet
> 1:2	10 feet

**PRE-QUALIFYING PRECIPITATION EVENT (QPE) REQUIREMENTS FOR DISTURBED SOILS:**

1. PRIOR TO A QUALIFYING PRECIPITATION EVENT INSTALL SE-5 FIBER ROLLS AT THE TOP OF SLOPES, TOE OF SLOPES, AND ACROSS THE FACE OF SLOPES PER THE GRADE BREAKS SPACING CHART PROVIDED ON THIS SHEET. FOR SLOPES LESS THAN 5% INSTALL FIBER ROLLS 60 FEET APART. (NOTE: THE FIBER ROLL GRADE BREAKS ARE NOT SHOWN ON THE DRAWING, THE PRECISE LOCATION IS TO BE FIELD DETERMINED).
2. AFTER THE INSTALLATION OF FIBER ROLLS APPLY EC-5 SOIL BINDER TO THE DISTURBED SLOPES. (NOTE: IF SOIL BINDER PROVIDES INADEQUATE EROSION CONTROL PROTECTION APPLY EC-3 HYDRAULIC MULCH IN ITS PLACE).

REVISION	DATE	DESCRIPTION



PREPARED BY:  
CAL-STORM COMPLIANCE, INC.  
28562 OSO PKWY, D-508  
RANCHO SANTA MARGARITA, CA 92688  
(949) 354-5530  
DESIGNED BY: JEFF WOOLSTON, QSD 26764  
REVIEWED BY: KEN KRISTOFFERSEN, QSD 00207

SANTA MONICA COLLEGE  
1900 PICO BLVD  
SANTA MONICA, CA 90405  
(310) 434-3002

# EROSION AND SEDIMENT CONTROL PLAN

## SANTA MONICA COLLEGE BUNDY CAMPUS TENNIS / PICKELBALL COURTS 3400 AIRPORT AVE SANTA MONICA, CA 90405






### RMP PLANS

DATE PREPARED:  
01/05/2026


---

SHEET

SHEET  
1 OF 2



REVISION	DATE	DESCRIPTION



PREPARED BY:  
CAL-STORM COMPLIANCE, INC.  
28562 OSO PKWY, D-508  
RANCHO SANTA MARGARITA, CA 92688  
(949) 354-5530  
DESIGNED BY: JEFF WOOLSTON, QSD 26764  
REVIEWED BY: KEN KRISTOFFERSEN, QSD 00207

SANTA MONICA COLLEGE  
1900 PICO BLVD  
SANTA MONICA, CA 90405  
(310) 434-3002

EROSION AND SEDIMENT CONTROL PLAN  
SANTA MONICA COLLEGE BUNDY CAMPUS TENNIS / PICKELBALL COURTS  
3400 AIRPORT AVE  
SANTA MONICA, CA 90405

BMP DETAILS

DATE PREPARED:  
01/05/2026  
SHEET  
2 OF 2